# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S4 | 3814 | tim$4 and compensat$3 and laser and fiber and temperature and (power near3 optical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 16:41 |
| S7 | 466 | laser and control$4 and (heat$4 with cool$4) and (detect$4 near4 temperature) and (detect$4 near4 power) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:15 |
| S5 | 12667 | laser and control$4 and (heat$4 with cool$4) and detect$4 and temperature and power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:15 |
| S9 | 128 | laser and control$4 and (heat$4 with cool$4) and (detect$4 near4 temperature) and (detect$4 near4 (power or current)) and (power near3 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:16 |
| S8 | 884 | laser and control$4 and (heat$4 with cool$4) and (detect$4 near4 temperature) and (detect$4 near4 (power or current)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:16 |
| S6 | 1019 | laser and control$4 and ((heat$4 with cool$4) with (adjust$4 or fix$3)) and detect$4 and temperature and power | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:18 |
| S10 | 6 | laser and control$4 and ((heat$4 with cool$4) with ((adjust$4 or fix$3) near4 driv$4)) and (detect$4 near4 temperature) and (detect$4 near4 (power or current)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:20 |
| S11 | 155 | laser and control$4 and ((heat$4 with cool$4) and ((adjust$4 or fix$3) near4 driv$4)) and (detect$4 near4 temperature) and (detect$4 near4 (power or current)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:23 |
| S14 | 487 | laser and (temperature near3 sensor$1) and ((look-up) or look near2 up) and (driv$4 near3 (circuit or current)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:26 |
| S13 | 377 | laser and (temperature near3 sensor$1) and ((look-up) or look near2 up) and (driv$4 near3 circuit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:26 |
| S12 | 1652 | laser and (temperature near3 sensor$1) and (((look-up) or look near2 up) or memory) and (driv$4 near3 circuit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:26 |

| S15 | 516 | laser and (temperature near3 sensor$1) and ((look-up) or look near2 up) and (driv$4 near3 (circuit$3 or current)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:27 |
|-----|-----|---|---|---|---|---|
| S16 | 172 | laser and (temperature near3 sensor$1) and ((look-up) or look near2 up) and (driv$4 near3 (circuit$3 or current)) and produc$4 and (temperature near3 detect$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/11/30 17:28 |
| S18 | 760 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and ((look$3-up) or (look$3 near2 up) or look-up) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 09:36 |
| S19 | 567 | laser and (temperature near3 (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and ((look$3-up) or (look$3 near2 up)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 09:37 |
| S20 | 346 | S17 and S18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 09:38 |
| S21 | 126 | S20 and tim$4 and compensat$3 and laser and fiber and temperature and (power near3 optical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 09:47 |
| S17 | 1900 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 09:47 |
| S23 | 28 | S22 and tim$4 and compensat$3 and fiber and (power near3 optical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2005/12/02 11:49 |
| S24 | 2 | ("20050078722").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/31 13:31 |
| S1 | 2 | ("20050078721").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/31 14:06 |
| S26 | 250 | 372/38.01.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:07 |
| S25 | 614 | 372/38.02.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:07 |
| S28 | 10 | (("4,884,279") or ("4,903,273") or ("5,019,769") or ("5,479,424") or ("5,761,230") or ("5,974,063") or ("6,169,618") or ("6,188,498") or ("6,452,953") or ("6,480,314")).PN. | USPAT | OR | OFF | 2006/01/31 14:16 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S31 | 429 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) and (power near2 value) | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:25 |
| S29 | 430 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) and (power near2 value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/01/31 14:25 |
| S30 | 768 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (temperature near2 control$4) and ((adjust$4 or fix$3) near3 (cool$3 or heat$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/01/31 14:26 |
| S32 | 761 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (temperature near2 control$4) and ((adjust$4 or fix$3) near3 (cool$3 or heat$3)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:28 |
| S33 | 103 | (laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (temperature near2 control$4) and ((adjust$4 or fix$3) near3 (cool$3 or heat$3))) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:29 |
| S36 | 7 | ("4583228" | "4834477" | "5392303" | "5511087" | "5553087" | "6212210" | "6389046").PN. OR ("6891867").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/01/31 14:30 |
| S35 | 3 | (laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (temperature near2 control$4) and ((adjust$4 or fix$3) near3 (cool$3 or heat$3))) and "372"/38.01.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:30 |
| S34 | 0 | (laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (temperature near2 control$4) and ((adjust$4 or fix$3) near3 (cool$3 or heat$3))) and "372"/38.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:30 |
| S38 | 28 | S37 and laser | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:32 |
| S37 | 49 | ((Wu near3 Hsin-Ho) or (Deane near3 Peter)).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/01/31 14:32 |
| S39 | 2 | S38 and (driv$3 near3 (current or circuit$1)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:33 |
| S41 | 4 | S25 and S26 and S27 | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:35 |
| S40 | 3 | S37 and (driv$3 near3 (current or circuit$1)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:35 |
| S42 | 7 | ("20020105982" | "20020149821" | "20020181519" | "5604758" | "6526076" | "6631146" | "6748181").PN. OR ("6947455").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/01/31 14:37 |
| S27 | 224 | 372/29.021.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 14:58 |
| S46 | 6 | 372/29.021.ccls. and S45 | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:00 |
| S44 | 202 | 372/29.021.ccls. and power | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:03 |
| S50 | 6 | "372"/$.ccls. and S48 | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:05 |
| S49 | 1 | 372/29.021.ccls. and S48 | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:05 |
| S48 | 287 | (trimming with compensat$3) and laser and power | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:05 |
| S45 | 2096 | (trimming and compensat$3) and laser and power | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:05 |

| S52 | 136 | 372/29.021.ccls. and (power) and temperature | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:06 |
|---|---|---|---|---|---|---|
| S47 | 48 | 372/29.021.ccls. and (power near2 value) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:06 |
| S54 | 16 | 372/29.021.ccls. and (power near2 value) and (temperature with (chance or driv$4)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:07 |
| S53 | 47 | 372/29.021.ccls. and (power) and (temperature with (chance or driv$4)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:07 |
| S51 | 40 | 372/29.021.ccls. and (power near2 value) and temperature | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:07 |
| S55 | 166 | "372"/$.ccls. and (power near2 value) and (temperature with (chance or driv$4)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:14 |
| S56 | 378 | "372"/$.ccls. and (power near2 value) and temperature and (driv$4 (current or circuit)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:15 |
| S59 | 9 | S58 and temperature and power | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:16 |
| S58 | 13 | "372"/29.021.ccls. and 372/33.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:16 |
| S60 | 7 | "372"/29.021.ccls. and temperature and (driv$4 near2 (current or circuit)) and 372/33.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:20 |
| S61 | 4 | "372"/29.021.ccls. and (temperature same (driv$4 near2 (current or circuit))) and 372/33.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:24 |
| S63 | 317 | laser and (temperature same (driv$4 near2 (current or circuit))) and (((look-up or (look near2 up)) near3 table) or LUT) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:27 |
| S62 | 4 | "372"/29.021.ccls. and (temperature same (driv$4 near2 (current or circuit))) and ((look-up or (look near2 up)) near3 table) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:27 |
| S65 | 20 | S64 and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:28 |
| S66 | 7 | laser and (temperature same (driv$4 near2 (current or circuit))) same (((look-up or (look near2 up)) near3 table) or LUT) and (power near3 value) | US-PGPUB; USPAT | AND | ON | 2006/01/31 15:41 |
| S67 | 3 | ("4785454" \| "5019769" \| "5742418").PN. OR ("6518563").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/01/31 15:47 |
| S68 | 2 | ("20040131094" \| "5754577").PN. OR ("6909731").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/01/31 16:01 |
| S64 | 72 | laser and (temperature same (driv$4 near2 (current or circuit))) and (((look-up or (look near2 up)) near3 table) or LUT) and (power near3 value) | US-PGPUB; USPAT | AND | ON | 2006/01/31 16:05 |
| S70 | 2 | 372/29.021 and (((look-up or (look near2 up)) near3 table) or LUT) and power and 372/33 | US-PGPUB; USPAT | AND | ON | 2006/01/31 16:06 |
| S69 | 13 | 372/29.021 and (((look-up or (look near2 up)) near3 table) or LUT) and power | US-PGPUB; USPAT | AND | ON | 2006/01/31 16:21 |
| S72 | 22 | laser and (link near2 fiber) and (calculat$3 near3 power near3 value) | US-PGPUB; USPAT | AND | ON | 2006/01/31 16:42 |
| S74 | 227 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) and (power near3 (detect$3 or sensor$1)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:20 |
| S73 | 1368 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:20 |
| S75 | 19 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) and (power near3 (detect$3 or sensor$1)) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:21 |
| S76 | 21 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1 or driv$3)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) and (power near3 (detect$3 or sensor$1)) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:23 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S78 | 10 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1 or driv$3)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) and (power near3 (detect$3 or sensor$1)) and fiber and calculat$3 and "372"/.ccls. | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:53 |
| S77 | 47 | laser and (temperature near2 control$3) and (temperature near2 (detect$3 or sensor$1 or driv$3)) and ((adjust$3 or fix$3) near5 ((cool$3 and heat$3) or thermal$3)) and (power near3 (detect$3 or sensor$1)) and fiber and calculat$3 | US-PGPUB; USPAT | AND | ON | 2006/01/31 17:54 |
| S80 | 1 | laser and fiber and (driv$3 near2 circuit) and ((monit$4 or diode) near2 (device or element)) and (temperature near3 (detect$4 or sensor)) and (comparis$3 near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 07:29 |
| S81 | 2 | laser and fiber and (driv$3 near4 (circuit or laser)) and (temperature near3 (detect$4 or sensor)) and (temperature near3 comparis$3 near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 07:32 |
| S83 | 20 | 372/29.021 and 372/33 | US-PGPUB; USPAT | AND | ON | 2006/02/02 07:46 |
| S84 | 612 | 372/33.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:00 |
| S85 | 475 | 372/33.ccls. and power | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:01 |
| S86 | 188 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:04 |
| S79 | 14 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and (comparis$3 near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:04 |
| S87 | 87 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and (power near3 value) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:07 |
| S88 | 8 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and (power near3 value) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:09 |
| S89 | 2 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and ((power near3 value) near3 (calculat$3 or determin$4 or computer or estimat$3)) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:11 |
| S91 | 3 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and ((power near3 value) with (calculat$3 or determin$4 or computer or estimat$3)) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:12 |
| S90 | 75 | laser and fiber and (driv$3 near2 circuit) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and ((power near3 value) with (calculat$3 or determin$4 or computer or estimat$3)) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:18 |
| S92 | 48 | fiber and (driv$3 near4 (circuit or laser))and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) and "372"/$ | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:21 |
| S82 | 2 | fiber and (driv$3 near4 (circuit or laser)) and (temperature near3 (detect$4 or sensor$1)) and (temperature near3 comparis$3 near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:21 |
| S93 | 311 | fiber and (driv$3 near4 (circuit or laser)) and (temperature near3 (detect$4 or sensor)) and ((comparis$ or (look-up) or (loop near2 up)) near2 table) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:23 |
| S95 | 50 | (temperature near3 (detect$4 or sensor)) and (((comparis$ or (look-up) or (loop near2 up)) near2 table) with (driv$3 near4 (circuit or laser))) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:31 |
| S94 | 133 | (temperature near3 (detect$4 or sensor)) and (((comparis$ or (look-up) or (loop near2 up)) near2 table) same (driv$3 near4 (circuit or laser))) | US-PGPUB; USPAT | AND | ON | 2006/02/02 08:32 |
| S97 | 1 | ("57186383").PN. | JPO | OR | OFF | 2006/02/02 12:14 |
| S98 | 1 | ((optical near3 value) or (power near3 value)) and "6891867" | US-PGPUB; USPAT | AND | ON | 2006/02/02 12:31 |

| S99 | 1 | laser and (determin$3 near6 ((optical near3 value) or (power near3 value))) and (qualif$4 near6 ((optical near3 value) or (power near3 value))) | US-PGPUB; USPAT | AND | ON | 2006/02/02 12:38 |
|---|---|---|---|---|---|---|
| S96 | 70 | (temperature near3 (detect$4 or sensor)) and (((comparis$ or (look-up) or (loop near2 up)) near2 table) same (driv$3 near4 (circuit or laser))) and laser | US-PGPUB; USPAT | AND | ON | 2006/02/02 13:18 |
| S10 0 | 10 | (temperature near3 (detect$4 or sensor)) and (((comparis$ or (look-up) or (loop near2 up)) near2 table) same (driv$3 near4 circuit$2 near4 laser)) and laser | US-PGPUB; USPAT | AND | ON | 2006/02/02 13:23 |
| S10 1 | 1 | ("20050078722").PN. | US-PGPUB; USPAT | OR | OFF | 2006/02/02 13:32 |
| S10 2 | 177 | fiber and (modulat$4 near3 current) and temperature and (target near4 power) | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:27 |
| S10 5 | 3 | S103 and "372"/29.021.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:28 |
| S10 7 | 10 | S103 and "372"/$.ccls. and (data near3 (sample or model$1)) | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:32 |
| S10 4 | 40 | S103 and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:32 |
| S11 0 | 2 | fiber and ((modulat$4 near3 current) same temperature) and (target near4 power) and laser and (data near3 (sample or model$1)) and "372"/29.021.ccls. | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:34 |
| S10 3 | 167 | fiber and (modulat$4 near3 current) and temperature and (target near4 power) and laser | US-PGPUB; USPAT | AND | ON | 2006/02/02 15:34 |
| S11 1 | 49 | ((Wu near3 Hsin-Ho) or (Deane near3 Peter)).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/02/02 15:36 |
| S11 3 | 6 | ((Wu near3 Hsin-Ho) or (Deane near3 Peter)).in. | USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 08:16 |
| S2 | 47 | ((Wu near3 Hsin-Ho) or (Deane near3 Peter)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 08:16 |
| S11 2 | 45 | ((Wu near3 Hsin-Ho) or (Deane near3 Peter)).in. | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:17 |
| S11 5 | 12 | fiber and ((modulat$4 near3 current) same temperature) and (target near4 power) and laser and (data near3 (sample or model$1)) | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:25 |
| S11 4 | 7 | fiber and ((modulat$4 near3 current) same temperature) and (target near4 power) and laser and (data near3 (sample or model$1)) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:25 |
| S11 7 | 40 | S116 and "372"/$.ccls. and data | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:28 |
| S11 6 | 177 | fiber and (modulat$4 near3 current) and temperature and (target near4 power) and laser | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:28 |
| S22 | 82 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) and (((look$3-up) or (look$3 near2 up)) with temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 08:29 |
| S11 9 | 34 | "372"/29.021.ccls. and (power near2 value) and temperature and (driv$4 (current or circuit)) | US-PGPUB; USPAT | AND | ON | 2006/05/25 08:30 |

# EAST Search History

| Ref | Count | Query | Databases | Op | Default | Time Stamp |
|---|---|---|---|---|---|---|
| S11 8 | 102 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) and (((look$3-up) or (look$3 near2 up)) with temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 09:07 |
| S12 2 | 1 | (BPL or (base near3 power near2 level)) and laser and temperature and (current near4 modulat$4) and fiber and target | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:06 |
| S12 3 | 1 | ((BPL or (base near3 power near2 level)) and laser and temperature and (current near4 modulat$4) and fiber and target).clm. | US-PGPUB | AND | ON | 2006/05/25 10:07 |
| S12 6 | 5 | (BPL or (base near3 power near2 level)) and laser and temperature and (current near4 value) and (data with (sample or model$1)) | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:13 |
| S12 5 | 4 | (BPL or (base near3 power near2 level)) and laser and temperature and (current near4 value) and (data with model$1) | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:13 |
| S12 4 | 37 | (BPL or (base near3 power near2 level)) and laser and temperature and (current near4 value) and data | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:13 |
| S12 7 | 1 | ((BPL or (base near3 power near2 level)) and laser and temperature and (current near4 value) and data).clm. | US-PGPUB | AND | ON | 2006/05/25 10:14 |
| S12 1 | 126 | laser and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit or current)) and (value near4 current) and (((look$3-up) or (look$3 near2 up) or (look-up)) same temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 10:22 |
| S12 8 | 161 | (semiconductor near3 laser) and (fiber or fibre) and monitor$3 and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up")) near3 table) | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:30 |
| S13 1 | 0 | (semiconductor near3 laser) and (fiber or fibre) and monitor$3 and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up")) near3 table) and "372"/$.ccls. | USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2006/05/25 10:31 |
| S13 0 | 2 | ((semiconductor near3 laser) and (fiber or fibre) and monitor$3 and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up")) near3 table)).clm. | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:31 |
| S12 9 | 34 | (semiconductor near3 laser) and (fiber or fibre) and monitor$3 and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up")) near3 table) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:47 |
| S13 3 | 3 | S132 not S129 | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:48 |
| S13 2 | 37 | (semiconductor near3 laser) and (fiber or fibre) and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up")) near3 table) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:49 |
| S13 4 | 53 | (semiconductor near3 laser) and (fiber or fibre) and (temperature with (sensor$1 or detect$3)) and (driv$4 near3 (circuit$2 or current)) and ((("look$3-up") or (look$3 near2 up) or ("look-up") or memory) near3 table) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/05/25 10:50 |
| S43 | 49 | (("6032109") or ("4620093") or ("5278523") or ("5742200") or ("5809050") or ("4439673") or ("4498337") or ("4820916") or ("4852581") or ("4956538") or ("4963729") or ("4974596") or ("5270538") or ("5446538") or ("5449882") or ("5552791") or ("5552888") or ("5631141") or ("5694208") or ("5698847") or ("5708505") or ("5753815") or ("5780847") or ("5815477") or ("5905695") or ("5954659") or ("6142665") or ("4296633") or ("4320621") or ("4349958") or ("4369525") or ("4420260") or ("4569228") or ("4600836") or ("4608506") or ("4782227") or ("4787087") or ("4829533") or ("4908599") or ("4946246") or ("4958126") or ("4983381") or ("4988429") or ("5180921") or ("5267336") or ("5284076") or ("5301001") or ("5318919") or ("5331409") or ("5371336).pn.")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/18 10:10 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S13 5 | 10 | (("4,884,279") or ("4,903,273") or ("5,019,769") or ("5,479,424") or ("5,761,230") or ("5,974,063") or ("6,169,618") or ("6,188, 498") or ("6,452,953") or ("6,480,314")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/18 10:13 |
| S13 8 | 0 | ("4,884,279" or "4,903,273" or "5,019,769" or "5,479,424" or "5, 761,230" or "5,974,063" or "6,169,618" or "6,188,498" or "6, 452,953" or "6,480,314").pn. and (trim or trimming or trimed) | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:16 |
| S13 7 | 10 | ("4,884,279" or "4,903,273" or "5,019,769" or "5,479,424" or "5, 761,230" or "5,974,063" or "6,169,618" or "6,188,498" or "6, 452,953" or "6,480,314").pn. | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:16 |
| S13 9 | 4 | ("4,884,279" or "4,903,273" or "5,019,769" or "5,479,424" or "5, 761,230" or "5,974,063" or "6,169,618" or "6,188,498" or "6, 452,953" or "6,480,314").pn. and laser and driv$4 and (power near3 (level or value)) | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:31 |
| S14 0 | 1313 | (trim or trimming or trimed) and laser and driv$4 and (power near3 (level or value or detect$4)) | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:32 |
| S13 6 | 0 | ("4,884,279" or "4,903,273" or "5,019,769" or "5,479,424" or "5, 761,230" or "5,974,063" or "6,169,618" or "6,188,498" or "6, 452,953" or "6,480,314").pn. and (trim or trimming or trimed) and laser and driv$4 and (power near3 (level or value)) | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:32 |
| S14 2 | 303 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:33 |
| S14 1 | 967 | (trim or trimming or trimed) and laser and driv$4 and (power near3 (level or value or detect$4)) and temperature | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:33 |
| S14 3 | 238 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature and compensat$4 | US-PGPUB; USPAT | AND | ON | 2006/07/18 10:34 |
| S14 4 | 144 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature and compensat$4 and fiber | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:06 |
| S14 8 | 45 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and temperature and compensat$4 and fiber and (optica$1 with link) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:19 |
| S14 5 | 39 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature and compensat$4 and fiber and (optica$1 with link) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:19 |
| S14 9 | 150 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:20 |
| S14 7 | 64 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:20 |
| S15 0 | 2 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power with (level or value or detect$4)) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) and fiber and (optica$1 with link) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:21 |
| S14 6 | 2 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power near3 (level or value or detect$4)) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) and fiber and (optica$1 with link) | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:21 |
| S15 1 | 76 | (trim or trimming or trimed) and laser and (driv$4 near3 current) and (power with (level or value or detect$4)) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) and fiber | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:24 |
| S15 2 | 81 | (trim or trimming or trimed) and laser and (driv$4 near3 (power or current)) and (power with (level or value or detect$4)) and temperature and ((compensat$4 or look-up or (look near2 up)) near3 table) and fiber | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:28 |
| S15 4 | 10 | (trim or trimming or trimed) and laser and (driv$4 near3 (power or current)) and (power with (level or value or detect$4)) and (temperature same ((compensat$4 or look-up or (look near2 up)) with table)) and fiber | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:38 |
| S15 3 | 9 | (trim or trimming or trimed) and laser and (driv$4 near3 (power or current)) and (power with (level or value or detect$4)) and (temperature same ((compensat$4 or look-up or (look near2 up)) near3 table)) and fiber | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:49 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S15 6 | 1 | (Chang near3 Tianhai).in. | US-PGPUB; USPAT | AND | ON | 2006/07/19 14:50 |
| S15 9 | 5 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (trimming or trimmed or trim) and ((compensat$4 or look-up or (look near2 up)) with table) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:02 |
| S15 8 | 4 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (trimming or trimmed or trimm) and ((compensat$4 or look-up or (look near2 up)) with table) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:02 |
| S16 0 | 128 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (trimming or trimmed or trim) and ((compensat$4 or look-up or (look near2 up)) with table) | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:12 |
| S16 1 | 1 | ("5,019,769").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/19 15:18 |
| S16 4 | 0 | S163 and S162 | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:24 |
| S16 2 | 197 | 372/29.021 | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:24 |
| S15 7 | 100 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (trimming or trimmed or trimm) and ((compensat$4 or look-up or (look near2 up)) with table) | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:24 |
| S16 6 | 2 | 372/29$.ccls. and S163 | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:25 |
| S16 5 | 1010 | 372/29$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:25 |
| S16 3 | 269 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (trimming or trimmed or trimm) and (((compensat$4 or look-up or (look near2 up)) with table) or memory) | US-PGPUB; USPAT | AND | ON | 2006/07/19 15:25 |
| S16 7 | 72 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (((compensat$4 or look-up or (look near2 up)) with table) or memory) and 372/29$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 16:42 |
| S16 8 | 72 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and (((compensat$4 or look$5-up or (look$4 near2 up)) SAME table) or memory) and 372/29$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 16:44 |
| S16 9 | 120 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and 372/29$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 17:37 |
| S17 1 | 83 | laser and ((control$5 or sensor or detect$4) near5 temperature) and (detect$4 with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and 372/29$.ccls. and (fiber or fibre) | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:15 |
| S17 2 | 16 | laser and ((control$5 or sensor or detect$4 or adjust$4) near5 temperature) and ((detect$4 or adjust$4 or control$4 or sensor) with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and 372/29$.ccls. and (fiber same (optica$1 with link)) | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:17 |
| S17 3 | 1 | laser and ((control$5 or sensor or detect$4 or adjust$4) near5 temperature) and ((detect$4 or adjust$4 or control$4 or sensor) with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and 372/29$.ccls. and (fiber same (optica$1 with link)) and (trim$6) | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:18 |
| S17 6 | 366 | S175 not S174 | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:28 |
| S17 4 | 53 | laser and ((control$5 or sensor or detect$4 or adjust$4) near5 temperature) and ((detect$4 or adjust$4 or control$4 or sensor) with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and (fiber same (optica$1 with link)) and (trim$6) | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:28 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S17 7 | 30 | laser and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and (fiber same (optica$1 with link)) and 372/29$. ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:58 |
| S17 5 | 419 | laser and ((control$5 or sensor or detect$4 or adjust$4) near5 temperature) and ((detect$4 or adjust$4 or control$4 or sensor) with power) and (driv$5) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and (fiber same (optica$1 with link)) | US-PGPUB; USPAT | AND | ON | 2006/07/19 18:58 |
| S17 9 | 2 | (laser same (fiber same (optica$1 with link))) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and 372/29$.ccls. and trim$6 | US-PGPUB; USPAT | AND | ON | 2006/07/19 19:00 |
| S17 8 | 2 | laser and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and (fiber same (optica$1 with link)) and 372/29$. ccls. and trim$6 | US-PGPUB; USPAT | AND | ON | 2006/07/19 19:00 |
| S18 0 | 55 | (laser same (fiber same (optica$1 with link))) and ((compensat$4 or look$5-up or (look$4 near2 up)) or memory) and trim$6 | US-PGPUB; USPAT | AND | ON | 2006/07/19 19:03 |
| S15 5 | 34 | laser and (control$6 with temperature) and (detect$4 with power) and (adjust$5 with driv$6) and (trimming or trimmed or trimm) and ((compensat$4 or look-up or (look near2 up)) with table) | US-PGPUB; USPAT | AND | ON | 2006/07/21 13:38 |
| S18 3 | 1 | ("5073838").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/21 13:39 |
| S18 1 | 38 | (laser same (fiber same (optica$1 with link))) and (((compensat$4 or look$5-up or (look$4 near2 up)) SAME table) or memory) and trim$6 | US-PGPUB; USPAT | AND | ON | 2006/07/25 09:10 |
| S18 7 | 601 | ((current near5 information) same ((( look$5-up or (look$4 near2 up)) SAME table) or memory) same temperature) | US-PGPUB; USPAT | AND | ON | 2006/07/25 09:11 |
| S18 5 | 136 | ((current near5 information) with (((compensat$4 or look$5-up or (look$4 near2 up)) SAME table) or memory) with temperature) | US-PGPUB; USPAT | AND | ON | 2006/07/25 09:11 |
| S18 4 | 601 | ((current near5 information) same (((compensat$4 or look$5-up or (look$4 near2 up)) SAME table) or memory) same temperature) | US-PGPUB; USPAT | AND | ON | 2006/07/25 09:11 |
| S18 6 | 136 | ((current near5 information) with ((( look$5-up or (look$4 near2 up)) SAME table) or memory) with temperature) | US-PGPUB; USPAT | AND | ON | 2006/07/25 09:12 |
| S18 8 | 22 | ((current near5 information) with ((( look$5-up or (look$4 near2 up)) SAME table) or memory) with temperature) and laser | US-PGPUB; USPAT | AND | ON | 2006/07/25 10:50 |
| S19 0 | 24 | S189 and laser | US-PGPUB; USPAT | AND | ON | 2006/07/25 10:51 |
| S18 9 | 143 | ((current near5 information) with ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table))) | US-PGPUB; USPAT | AND | ON | 2006/07/25 11:14 |
| S19 2 | 12 | ((current near5 (bias or information)) same ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) same (driv$4 near3 current)) and laser | US-PGPUB; USPAT | AND | ON | 2006/07/25 17:04 |
| S19 1 | 29 | ((current near5 (bias or information)) same ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) same (driv$4 near3 current)) | US-PGPUB; USPAT | AND | ON | 2006/07/25 17:04 |
| S19 3 | 1 | laser and monitor$4 and (((electronic or power) near5 circuit$4) with (qualified or acceptable)) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) and (temperature with compensation with circuit$4) | US-PGPUB; USPAT | AND | ON | 2006/07/26 10:10 |
| S19 6 | 79 | S195 not S194 | US-PGPUB; USPAT | AND | ON | 2006/07/26 11:06 |
| S19 4 | 13 | laser and monitor$4 and (((electronic or power) near5 circuit$4) with (qualified or acceptable)) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) | US-PGPUB; USPAT | AND | ON | 2006/07/26 11:06 |
| S19 5 | 92 | laser and monitor$4 and ( circuit$4 with (qualif$3 or acceptable)) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) | US-PGPUB; USPAT | AND | ON | 2006/07/26 11:09 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S19 7 | 74 | laser and monitor$4 and (circuit$4 with (qualif$3 or acceptable)) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) and driv$4 | US-PGPUB; USPAT | AND | ON | 2006/07/26 11:38 |
| S19 8 | 13 | laser and monitor$4 and (circuit$4 with (qualif$3 or acceptable) with power) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) and driv$4 | US-PGPUB; USPAT | AND | ON | 2006/07/26 11:42 |
| S19 9 | 137 | laser and monitor$4 and ((qualif$3 or acceptable) with power) and ((( look$5-up or (look$4 near2 up)) SAME table) or (temperature with compensation with table)) and driv$4 | US-PGPUB; USPAT | AND | ON | 2006/07/26 12:34 |
| S20 0 | 12 | S199 and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/26 13:01 |
| S20 2 | 1 | ("5019769").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 13:35 |
| S20 1 | 1 | ("5742268").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 13:35 |
| S20 4 | 1 | ("20020093999").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 13:40 |
| S20 3 | 1 | ("5418806").PN. | US-PGPUB; USPAT | OR | OFF | 2006/07/26 13:40 |
| S20 5 | 504 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:11 |
| S20 9 | 0 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) and (performance near3 parameters) and "438"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:13 |
| S20 8 | 0 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) and (performance near3 parameters) and "257"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:13 |
| S20 7 | 4 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) and (performance near3 parameters) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:13 |
| S20 6 | 33 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) and (performance near3 parameters) | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:16 |
| S21 0 | 25 | lasers and coupling and (fiber with link) and ((memory or calculat$4 or look-up or (look near2 up)) with power) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/07/26 16:18 |
| S17 0 | 48 | S169 not S168 | US-PGPUB; USPAT | AND | ON | 2006/08/02 11:08 |
| L8 | 0 | (laser near4 C?O???2) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/08/02 16:44 |
| L9 | 0 | (laser with C????O?????2) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/08/02 16:45 |
| L7 | 0 | (laser with C?O???2) and "372"/$.ccls. | US-PGPUB; USPAT | AND | ON | 2006/08/02 16:45 |